

SAFFTY DATA SHFFT

Septic Shock Reconditioner Revision Date 3/10/2023

ECTION – 1 CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Septic Shock Reconditioner

Instant Power Professional Item 8817, 8818, 8819,

8820

Classification in accordance with (29 CFR 1910.1200)

Product Use Drain cleaner

Product Name

Pictogram

Company Name Instant Power Corporation Office (214) 459-9315

1255 Viceroy Fax (214) 943-1306

Dallas TX 75247 Web www.instantpowerpro.com

EMERGENCY TELEPHONE NUMBER CHEMTREC (800) 424-9300 INTERNATIONAL + 1-703-741-5970

SECTION – 2 HAZARD IDENTIFICATION

None Required US OSHA / HCS 2012 regulation

Signal Word None

HAZARD STATEMENTS HAZARD CATEGORY CLASSIFICATION CODE

This product is not considered hazardous by the 2012 OSHA Hazard No Category

Communication Standard (29 CFR 1910.1200)

Precautions HANDLING / PROTECTION / FIRE / STORAGE / DISPOSAL CODE

Keep out of reach of childrenP102Read label before useP103Avoid breathing dust / fume / gas / mist / vapours / sprayP261Wash thoroughly after handlingP264Do not eat, drink or smoke when using this productP270Avoid release to the environmentP273Use personal protective equipment as required (See Section - 8)P281

Dispose of material in accordance with all State and Federal Guidelines and Regulations

ECTION - 3 COMPOSITION INFORMATION (Exact percentage of the listed chemicals of composition has been withheld as a trade secret)

<u>CHEMICAL NAME</u> <u>COMMON NAME AND SYNONYMS</u> <u>CAS # IMPURITIES</u> <u>PERCENT</u>

None Listed Contains no ingredients classifiable by GHS criteria

SECTION – 4 FIRST AID MEASURES

Eye Contact Flush eyes with cold water while lifting upper and lower eyelids, Remove contact lenses if present and easy to do

without injury to the eye and continue rinsing, If irritation persists seek medical aid

Skin Contact Wash with soap and water, If irritation occurs or persists seek medical aid

Inhaled Not applicable under normal use. If irritation is experienced, move person to fresh air

Ingested DO NOT INDUCE VOMITING, rinse mouth with water, and drink small quantities of water, Call a physician, or

poison control center, and get medical attention, If victim feels nauseous stop drinking, If vomiting occurs, keep

head below hips to prevent aspiration into the lungs

Important EffectsNo additional effects beyond what is listed aboveImportant SymptomsNo additional symptoms beyond what is listed above

SECTION – 5 FIRE FIGHTING MEASURES

Extinguishing Media Not flammable: Use extinguishing media for surrounding fire

Explosion Hazard Not applicable

Hazardous Decomposition Burning or thermal decomposition can produce, carbon dioxide, carbon monoxide

Protective Equipment Use MSHA/NIOSH approved self-contained breathing apparatus and full protective gear

SECTION - 6 ACCIDENTAL RELEASE MEASURES

Emergency Procedures Warn personnel of spill, Stop spill or release only if it can be done safely, Ventilate area, Keep unprotected

personnel from entering the spill area

Personal Precautions Follow all safety precautions, Wear Personal Protective Equipment, Do not walk through spill, Contaminated

surfaces will be extremely slippery

Containment Use rags, towels, absorbent socks or pads to prevent spill from spreading

Clean Up Procedures Small Spills: Use wet vacuum or mop and wringer to pick up spilled material then mop area with clean water,

Large Spills: Absorb spill with inert material, place in a chemical waste container, mop area with clean water

Disposal Dispose of material in accordance with all State and Federal Guidelines and Regulations

SECTION – 7 HANDLING AND STORAGE

Handling Do not get in eyes, Avoid prolonged skin contact, Use appropriate safety equipment, Do not smoke, eat or drink

while using, Wash thoroughly after handling, Avoid release to the environment

Storage Store in a closed container, Store away from incompatible materials, Keep from freezing

Incompatible Materials Incompatible with, strong bases, strong oxidizing agents, strong reducing agents

SECTION – 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE LIMITS

Significant CHEMICAL NAME ACGIH (TWA 8) ACGIH (STEL) OSHA (TWA 8) OSHA (CEIL) NIOSH (TWA 10) NIOSH (STEL) Exposure

HMIS HAZARD RATINGS

Health Flammability Reactivity Personal Protection

None Listed

PERSONAL PROTECTION

Eyes Wear safety glasses with side protection when handling / using this material

Hands Wear impervious gloves when handling / using this material

Response Access to an eye wash station is a recommended safety precaution for handling / using this type of material

Ventilation General Ventilation

SECTION – 9 PHYSICAL AND CHEMICAL PROPERTIES

 Flash Point
 > 93.3°C (200°F) - TAG Closed Cup [Not Flammable]
 Specific Gravity / Density
 ~ 1.004

 Flammable Limits (v)
 NA
 pH (± 0.3)
 9.1 to 9.5

 Auto-Ignition Temp.
 ND
 Viscosity (mm²s / cSt)
 ND

 Physical State
 Liquid
 Melting / Freeze Point
 ~ 0°C (32°F)

Appearance Clear blue green Boiling Point ~ 100°C (212°F)

No fragrance added Odor Vapor Density (air=1) ND **Odor Threshold** ND Vapor Pressure (mmHg) ND Solubility 100% Evaporation Rate (nBuAc=1) ND **Volatiles** < 98% **Partition Coefficient** ND VOC 0% Molecular Weight (g/mol) ND LVP-VOC 0% ND **Decomposition Temperature**

SECTION - 10 STABILITY AND REACTIVITY

Reactivity No specific test data related to reactivity available for this product or its ingredients

Chemical Stability Stable under normal ambient and anticipated conditions of use

Hazardous Polymerization Will not occur

Conditions To Avoid Incompatible materials

Incompatible Materials Incompatible with, strong bases, strong oxidizing agents, strong reducing agents

Hazardous Decomposition Burning or thermal decomposition can produce, carbon dioxide, carbon monoxide

SECTION – 11 TOXICOLOGICAL INFORMATION

ROUTES OF EXPOSURE

Eyes (Yes), Skin (Yes), Ingestion (Yes), Inhalation (Yes)

ACUTE SYMPTOMS OF SINGLE OVEREXPOSURE

Eyes May cause mild eye irritation
Skin May cause mild skin irritation

Inhalation None expected under normal conditions of use

Ingestion May be harmful if swallowed

CHRONIC SYMPTOMS OF PROLONGED OR REPEATED OVEREXPOSURE

Eyes May cause eve irritation

Skin May cause skin irritation, defatting of the skin which may lead to dermatitis

Inhalation None expected under normal conditions of use

Ingestion May be harmful if swallowed, Symptoms may include, gastrointestinal irritation, nausea, vomiting, abdominal pain

Acute Tox Calculated Oral: > 5,000 mg/kg Dermal: > 5,000 mg/kg Inhaled: > 50 mg/l

Acute Tox Category Not applicable (Oral >2,000 mg/kg), Not applicable (Dermal >2,000 mg/kg), Not applicable (Inhaled >20 mg/l) Vapors

Target Organs No target organs listed

Medical Conditions Preexisting, skin, disorders may be aggravated by exposure to this product

Notes to Physician Treat symptoms

Page 3 of 4 Septic Shock Reconditioner Revision Date 3/10/2023

CARCINOGENIC - This product contains concentrations above 0.1% of the following:

CHEMICAL NAME NTP ACGIH IARC GHS Category

None Listed NA NA NA NA

MUTAGENIC AND REPRODUCTIVE EFFECTS - This product contains concentrations above 0.1% of the following:

CHEMICAL NAME Germ Cell Mutagenicity Toxic to Reproduction

None Listed NA N

COMPONENTS ACUTE TOXICITY

<u>CHEMICAL NAME</u> <u>Type</u> <u>Form</u> <u>Subject</u> <u>Result Value</u> <u>Exposure Time</u> <u>GHS Category</u>

None Listed

SECTION – 12 ECOLOGICAL INFORMATION

CHEMICAL NAME Type Subject Latin Result Value Exposure Time GHS Category

None Listed

Presistence And Degradability This product is readily biodegradable according to the OECD definition

Bioaccumulative Potential There is no evidence to suggest bioaccumulation will occur

Mobility In SoilThis material is a mobile liquidOther Adverse EffectsMay be harmful to aquatic life

SECTION – 13 DISPOSAL CONSIDERATIONS

DISPOSAL STATEMENT DO NOT DUMP INTO ANY STORM SEWERS, ON THE GROUND, OR INTO ANY BODY OF WATER

Dispose of any waste in accordance with all State and Federal Guidelines and Regulations

Container Disposal Triple rinse container then offer for recycling. If not available, puncture and dispose in a sanitary landfill

Material Disposal Under RCRA rules, it is the responsibility of the user of the product to determine, at the time of disposal, whether

the material is a hazardous waste, Chemical additions, processing or otherwise altering this material may make the

Clean Water Acts

Korea

PP

HS

TP

UK

waste management information presented in this SDS incomplete, inaccurate, or otherwise inappropriate

SECTION – 14 TRANSPORT INFORMATION

DOT CLASSIFICATION

CLEAN AIR WATER ACTS

CHEMICAL NAME

CHEMICAL NAME

None Listed

None Listed

<u>UN Number</u> <u>Proper Shipping Name</u> n.o.s. (Chemicals) or "Limits"

Not Regulated Non Regulated Material

CAS#

Australia

Hazard Class Packing Group Label Codes Reportable Quantity (lb) Response Marine Pollutant Hazard Label Secondary

None None None None 128 No

Additional Info:

SECTION – 15 R	EGULATORY INFO	RMATI	ON											
TSCA														
CHEMICAL NAME		Sec 8(b) Active Inventory				Sec 8(d) Health And Safety			Sec 4(a) Chemical Test Rules Sec 12				2(b) Export Notification	
None Listed														
REPORTABLE QUANTI	TIES		Extremely I	Hazardous		Reporta	ble Quantity	Emissi	ion Reporting					
CHEMICAL NAME	EF	PCRA TP	Q Sec 302	EPCRA R	Q Sec 304	CERCLA	RQ Sec 103	TR	I Sec 313	RCR	A Code	RMP	TQ Sec 112r	
None Listed														
SARA		Section 311 Section 311 / 312 Hazards												
CHEMICAL NAME		Hazard	dous Che	mical	Acu	te	Chronic	F	Flammable	Р	ressure		Reactive	
None Listed														
RIGHT TO KNOW						STA	TE							
CHEMICAL NAME		CA	CT	FL	IL I	A N	J NY	PA	MI	MN	MA	RI	WI	
None Listed														
CALIFORNIA	WARNING: This P defects or reprodu									Californi	a to cau	se cano	er, birth	
CHEMICAL NAME	С	AS#	# Birth Defects			Repro	ductive Ha	m Carcinogen			Developmental			
None Listed														

Ozone Class 1

Europe (EINECS)

Ozone Class 2

Japan

Clean Air Acts

Canada

HAP

INTERNATIONAL REGULATIONS - The components of this product are listed on the chemical inventories of the following countries:

SECTION – 16 OTHER INFORMATION

<u>SDS</u>	LEGEND DESCRIPTION		
~	Approximately	KD	Kidney Damage (nephropathy)
ACGIH	American Conference of Governmental Industrial Hygienists	LC50	A concentration that is lethal to 50% of a given species in a given time
CAS	Chemical Abstracts Service Registry	LD50	Dose that is lethal to 50% of a given species by a given route of exposure
CEIL	Ceiling Limit (15 minutes)	LEL	Lower Explosive Limit
CERCL	Comprehensive Environmental Response, Compensation, and Liability Act	LD	Liver Damage
CI	Cochlear Impairment	NA	Not Applicable
CNS	Central Nervous System	ND	Not Determined
EC50	Concentration of a chemical that gives half-maximal response	NE	Not Established
EPA	Environmental Protection Agency	NFPA	National Fire Protection Association
Eye	(EI = Irritation) (ED = Damage) (EV = Visual Impairment)	NIOSH	National Institute for Occupational Safety and Health
FBG	Full Bunker Gear	NTP	National Toxicology Program
GHS	Globally Harmonized System	OSHA	Occupational Safety and Health Administration
HAP	California Hazardous Air Pollutant Clean Air Act	PEL	Permissible Exposure Limit (OSHA)
HMIS-A	Safety glasses	PNS	Peripheral Nervous System
HMIS-B	Safety glasses, gloves	PP	California Priority Pollutant under the Clean Water Act
HMIS-C	Safety glasses, gloves, chemical apron	REL	Recommended exposure limit (NIOSH)
HMIS-D	Face shield, gloves, chemical apron	RT	Upper Respiratory Tract
HMIS-E	Safety glasses, gloves, dust respirator	Skin	(SI = Irritation) (SD = Damage) (SA = Absorption) (SS = Sensitizer)
HMIS-F	Safety glasses, gloves, chemical apron, dust respirator	SARA	Superfund Amendments and Reauthorization Act
HMIS-G	Safety glasses, gloves, vapor respirator	STEL	Short Term Exposure Limit (15 minutes)
HMIS-H	Splash goggles, gloves, chemical apron, vapor respirator	TC Lo	Lowest concentration that is toxic to a given species in a given time
HMIS-I	Safety glasses, gloves, dust and vapor respirator	TD Lo	Lowest dose that is toxic to a given species
HMIS-J	Splash goggles, gloves, chemical apron, dust and vapor respirator	TLV	Threshold Limit Value (ACGIH)
HMIS-K	Air line hood or mask, gloves, full chemical suit, boots	TP	California Toxic Pollutant under the Clean Water Act
HMIS-X	Ask Supervisor	TSCA	Toxic Substances Control Act
HS	California Hazardous Substance under the Clean Water Act	TWA	Time Weighted Average (8 hours) - NOISH (10 hours)
IG / IH	(IG = Ingested) / (IH = Inhaled - Vapors / Mists / Gas)	UEL	Upper Explosive Limit

Instant Power Corporation

and nCites LLC have compiled the information herein from sources believed to be reliable and up-to-date, and is accurate to the best of our knowledge. However, we cannot give any guarantees regarding information from other sources or the completeness and expressly do not make warranties, nor assume any liability for its use. The information contained herein is provided for reference purposes only and is intended only for persons having relevant technical skills. Because conditions and manner of use are outside of our control, the user is responsible for determining the conditions of safe use of the product. Buyers and users assume all risk, responsibility and liability whatsoever for any and all injuries, losses, or damages to persons or property arising from the use of this product or information.

Print Date 3/10/2023

Supersedes Safety Data Sheet Dated