

# SAFETY DATA SHEET

**Urine Salt Dissolver Revision Date** 6/17/2025

CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Item 8210 **Instant Power Professional** 

**Product Name Urine Salt Dissolver Product Use** Toilet / Urinal Care Product

**Company Name Instant Power Corporation** Office (214) 943-4605

Fax 1255 Vicerov (214) 943-1306

**Dallas** Web www.instantpowerpro.com TX 75247

**EMERGENCY TELEPHONE NUMBER** CHEMTREC (800) 424-9300 INTERNATIONAL + 1-703-741-5970

**HAZARD IDENTIFICATION** 

**Pictogram** 

Classification in accordance with (29 CFR 1910.1200) US OSHA / HCS 2012 regulation

Signal Word

Danger

Hazards PHYSICAL / HEALTH / ENVIRONMENTAL HAZARD STATEMENTS HAZARD CATEGORY CLASSIFICATION CODE

> H290 May be corrosive to metals Category 1 Corrosive to Metals Skin (Corrosion / Irritation) H315 Causes skin irritation Category 2 Category 1 Eye (Damage / Irritation) H318 Causes serious eve damage

**Precautions** HANDLING / PROTECTION / FIRE / STORAGE / DISPOSAL

CODE P101 If medical advice is needed, have product container or label at hand P102 Keep out of reach of children P103 Read label before use Keep only in original container P234 P261 Avoid breathing dust / fume / gas / mist / vapors / spray P262 Do not get in eyes, on skin, or on clothing P264 Wash thoroughly after handling Do not eat, drink or smoke when using this product P270 Use personal protective equipment as required (See Section - 8) P281 P285 In case of inadequate ventilation wear respiratory protection P390 Absorb spillage to prevent material damage P501 Dispose of material in accordance with all State and Federal Guidelines and Regulations

**COMPOSITION INFORMATION** 

**CHEMICAL NAME COMMON NAME AND SYNONYMS** CAS# **IMPURITIES PERCENT** 506-89-8 Urea Monohydrochloride 10 - 25% Carbamide Hydrochloride

There are no additional ingredients within our current knowledge that meet the reporting requirements under OSHA Hazard Communication Standard (29 CFR 1910.1200)

**FIRST AID MEASURES** 

**Eve Contact** Immediately flush eyes with cold water for at least 15 minutes while lifting upper and lower eyelids, Remove

contact lenses if present and easy to do without injury to the eye and continue rinsing. Obtain immediate medical

attention, preferably from an ophthalmologist or Emergency Room

Skin Contact Wash contaminated skin with plenty of soap and water, Remove any contaminated clothing and wash before

reuse, If irritation is present or occurs obtain medical attention

Inhaled Move person to fresh air, if they have problem breathing, show signs of overexposure or feel unwell obtain medical

attention

Ingested DO NOT INDUCE VOMITING, rinse mouth with water, and drink small quantities of water, Call a physician, or

poison control center, and get medical attention, If victim feels nauseous stop drinking, If vomiting occurs, keep

head below hips to prevent aspiration into the lungs

Important Effects No additional effects beyond what is listed above **Important Symptoms** No additional symptoms beyond what is listed above

**FIRE FIGHTING MEASURES** 

**Extinguishing Media** Not flammable: Use extinguishing media for surrounding fire

**Explosion Hazard** Not applicable

Hazardous Decomposition Burning or thermal decomposition can produce, carbon oxides, hydrogen chloride, nitrogen oxides

**Protective Equipment** Use MSHA/NIOSH approved self-contained breathing apparatus and full protective gear Page 2 of 4 Urine Salt Dissolver Revision Date 6/17/2025

CTION – 6 ACCIDENTAL RELEASE MEASURES

Emergency Procedures Warn personnel of spill. Stop spill or release only if it can be done safely. Keep unprotected personnel from

entering the hazard area. Ventilate area

Personal Precautions Follow all safety precautions, Wear Personal Protective Equipment, Do not walk through spill

Protective Equipment Safety Glasses, Gloves, Chemical Apron, Rubber Boots

Containment Use rags, towels, absorbent socks or pads to prevent spill from spreading, Prevent spill from entering the

environment

Clean Up Procedures Small Spills: Use wet vacuum or mop and wringer to pick up spilled material then mop area with clean water,

Large Spills: Absorb spill with inert material, place in a chemical waste container, mop area with clean water

Disposal Dispose of material in accordance with all State and Federal Guidelines and Regulations

SECTION – 7 HANDLING AND STORAGE

Handling Do not get in eyes, on skin, or clothing, Avoid breathing mist, vapors or fumes, Use appropriate safety equipment,

and adequate ventilation, Do not smoke, eat or drink while using, Wash thoroughly with soap and water after

handling, Avoid release to the environment

Storage Keep container closed when not in use, Store in a cool place away from incompatible materials, Store in corrosive

resistant container

Incompatible Materials Incompatible with, alkaline materials, chlorates, hypochlorites, nitrates, oxidizing agents

SECTION – 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE LIMITS

CHEMICAL NAME

ACGIH (TWA 8) ACGIH (STEL)

OSHA (TWA 8) OSHA (CEIL)

NIOSH (TWA 10) NIOSH (STEL)

Exposure

Urea Monohydrochloride

None Established

#### **PERSONAL PROTECTION**

HMIS HAZARD RATINGS

Health
Flammability
Reactivity

Personal Protection

B

A NA



Eyes Wear safety glasses with side protection when handling / using this material

Hands Wear impervious gloves when handling / using this material

Response Access to an eye wash station is a recommended safety precaution for handling / using this type of material

**Ventilation** General Ventilation

## SECTION – 9 PHYSICAL AND CHEMICAL PROPERTIES

> 93.3°C (200°F) - TAG Closed Cup ~ 1.042 **Flash Point** Specific Gravity / Density Flammable Limits (v) ND pH (± 0.3) < 1.0 **Auto-Ignition Temp.** Viscosity (mm²/s / cSt) ND **Physical State** Liquid **Melting / Freeze Point** ~ 0°C (32°F) ~ 100°C (212°F) **Appearance** Blue **Boiling Point** 

Lavender Mint ND Odor Vapor Density (air=1) **Odor Threshold** ND Vapor Pressure (mmHg) ND Solubility 100% Evaporation Rate (nBuAc=1) ND **Volatiles Partition Coefficient** ND < 87% VOC < 1% ND Molecular Weight (g/mol) LVP-VOC ND **Decomposition Temperature** ND

# SECTION – 10 STABILITY AND REACTIVITY

Reactivity No specific test data related to reactivity available for this product or its ingredients

Chemical Stability Stable under normal ambient and anticipated conditions of use

Hazardous Polymerization Will not occur

Conditions To Avoid Incompatible materials

Incompatible Materials Incompatible with, alkaline materials, chlorates, hypochlorites, nitrates, oxidizing agents

Hazardous Decomposition Burning or thermal decomposition can produce, carbon oxides, hydrogen chloride, nitrogen oxides

## SECTION – 11 TOXICOLOGICAL INFORMATION

## **ROUTES OF EXPOSURE**

Eyes (Yes), Skin (Yes), Ingestion (Yes), Inhalation (Yes)

## ACUTE SYMPTOMS OF SINGLE OVEREXPOSURE

Eyes Causes serious eye damage
Skin Can cause skin irritation

Inhalation None expected under normal conditions of use

**Ingestion** May be harmful if swallowed

#### CHRONIC SYMPTOMS OF PROLONGED OR REPEATED OVEREXPOSURE

Eyes Causes serious eye damage, burning, or pain

Skin Causes skin irritation, defatting of the skin which may lead to dermatitis

Page 3 of 4 Urine Salt Dissolver Revision Date 6/17/2025

**Inhalation** May cause mild respiratory irritation

**Ingestion** May be harmful if swallowed

Acute Tox Calculate Oral: > 5,000 mg/kg Dermal: > 5,000 mg/kg Inhaled: > 50 mg/kg

Acute Tox Category Not applicable (Oral >5,000 mg/kg), Not applicable (Dermal >5,000 mg/kg), Not applicable (Inhaled >50 mg/l) Vapors

Target Organs Skin, Eyes

Medical Conditions Preexisting, eye, skin, disorders may be aggravated by exposure to this product

Notes to Physician Treat symptoms

**CARCINOGENIC – This product contains concentrations above 0.1% of the following:** 

CHEMICAL NAMENTPACGIHIARCGHS Category

None Listed NA NA NA NA

MUTAGENIC AND REPRODUCTIVE EFFECTS - This product contains concentrations above 0.1% of the following:

<u>CHEMICAL NAME</u> <u>Germ Cell Mutagenicity</u> <u>Toxic to Reproduction</u>

None Listed NA NA

**COMPONENTS ACUTE TOXICITY** 

CHEMICAL NAMETypeFormSubjectResult ValueExposure TimeGHS CategoryUrea MonohydrochlorideLD50OralRat1,121 mg/kg4 (>300, ≤2000 mg/kg)

SECTION – 12 ECOLOGICAL INFORMATION

**CHEMICAL NAME Type Subject Subject Latin** Result Value Exposure Time **GHS Category** Urea Monohydrochloride LC50 Rainbow Trout (Oncorhynchus mykiss) > 142 mg/l96 Hours 4 (>100 mg/l)LC50 Water Flea (Ceriodaphnia dubia) 71.1 mg/l 48 Hours 3 (>10, ≤100 mg/l)

Presistence And Degradability No data available Bioaccumulative Potential No data available

Mobility In SoilThis material is a mobile liquidOther Adverse EffectsMay be harmful to aquatic life

SECTION - 13 DISPOSAL CONSIDERATIONS

Disposal Statement DO NOT DUMP INTO ANY SEWERS, ON THE GROUND, OR INTO ANY BODY OF WATER

Dispose of any waste in accordance with all State and Federal Guidelines and Regulations

Container Disposal Empty containers retain product residue (vapors, liquid or solid) observe all precautions when handling, Empty

drums should be returned to distributor or taken to an approved waste handling site for recycling or disposal

Material Disposal This material as supplied, when discarded or disposed of, is a hazardous waste according to Federal Regulations

(40 CFR 261) due to its composition containing in some or all of its components, Under RCRA rules, it is the responsibility of the user of the product to determine, at the time of disposal, whether the material is a hazardous waste, Chemical additions, processing or otherwise altering this material may make the waste management

information presented in this SDS incomplete, inaccurate, or otherwise inappropriate

SECTION – 14 TRANSPORT INFORMATION

**DOT CLASSIFICATION** 

<u>UN Number</u> <u>Proper Shipping Name</u> n.o.s. (Chemicals ) or "Limits"

Not Regulated Non Regulated Material

<u>Hazard Class</u> <u>Packing Group</u> <u>Label Codes</u> <u>Reportable Quantity (lb)</u> <u>Response</u> <u>Marine Pollutant</u> <u>Hazard Label</u> <u>Secondary</u>

None None None 128 No

Additional Info: Exempt under DOT 49 CFR 173.154 (d). This material is corrosive to aluminum only. Not corrosive to

mild steel and skin

**IATA CLASSIFICATION** 

UN Number UN Proper Shipping Name n.o.s. (Chemicals ) or "Limits"

UN 1760 Corrosive liquid n.o.s. (Urea Monohydrochloride)

 Class
 Packing Group
 Enviro Hazard
 ERG
 Special Provisions
 Labels Required
 Subsidiary Risk
 Hazard Label

 8
 III
 No
 8L
 Corrosive

Special precautions / marking: Additional Information: This material is corrosive to aluminum only. Not corrosive to mild

steel and skin

SECTION – 15 REGULATORY INFORMATION

TSCA

CHEMICAL NAME

Sec 8(b) Active Inventory

Sec 8(d) Health And Safety

Sec 4(a) Chemical Test Rules

Sec 12(b) Export Notification

Urea Monohydrochloride Yes

REPORTABLE QUANTITIES Extremely Hazardous Reportable Quantity Emission Reporting

CHEMICAL NAME EPCRA TPQ Sec 302 EPCRA RQ Sec 304 CERCLA RQ Sec 103 TRI Sec 313 RCRA Code RMP TQ Sec 112r

None Listed **CLEAN AIR WATER ACTS** Clean Air Acts

**Clean Water Acts CHEMICAL NAME** CAS# HAP **Ozone Class 1 Ozone Class 2** HS ΤP

None Listed

**SDS** 

INTERNATIONAL REGULATIONS - The components of this product are listed on the chemical inventories of the following countries:

CHEMICAL NAME	Australia	Canada	Europe (EINECS)	Japan	Korea	UK
Urea Monohydrochloride	Yes	Yes	Yes	Yes	Yes	Yes

### **OTHER INFORMATION**

LEGEND DESCRIPTION

~	Approximately	LC0	A concentration that is "Not" lethal to a given species in a given time
ACGIH	American Conference of Governmental Industrial Hygienists	LC50	A concentration that is lethal to 50% of a given species in a given time
CAS	Chemical Abstracts Service Registry	LD0	Dose that is "Not" lethal to a given species by a given route of exposure
CEIL	Ceiling Limit (15 minutes)	LD50	Dose that is lethal to 50% of a given species by a given route of exposure
CERCL	Comprehensive Environmental Response, Compensation, and Liability Act	LEL	Lower Explosive Limit
CI	Cochlear Impairment	NA	Not Applicable
CNS	Central Nervous System	ND	Not Determined
EC50	Concentration of a chemical that gives half-maximal response	NE	Not Established
EPA	Environmental Protection Agency	NFPA	National Fire Protection Association
Eye	(EI = Irritation) (ED = Damage) (EV = Visual Impairment)	NIOSH	National Institute for Occupational Safety and Health
GHS	Globally Harmonized System	NTP	National Toxicology Program
HAP	California Hazardous Air Pollutant Clean Air Act	OSHA	Occupational Safety and Health Administration
HMIS-A	Safety glasses	PEL	Permissible Exposure Limit (OSHA)
HMIS-B	Safety glasses, gloves	PNS	Peripheral Nervous System
HMIS-C	Safety glasses, gloves, chemical apron	PP	California Priority Pollutant under the Clean Water Act
HMIS-D	Face shield, gloves, chemical apron	REL	Recommended exposure limit (NIOSH)
HMIS-E	Safety glasses, gloves, dust respirator	RT/RS	Respiratory Tract / Respiratory System
HMIS-F	Safety glasses, gloves, chemical apron, dust respirator	Skin	(SI = Irritation) (SD = Damage) (SA = Absorption) (SS = Sensitizer)
HMIS-G	Safety glasses, gloves, vapor respirator	SARA	Superfund Amendments and Reauthorization Act
HMIS-H	Splash goggles, gloves, chemical apron, vapor respirator	STEL	Short Term Exposure Limit (15 minutes)
HMIS-I	Safety glasses, gloves, dust and vapor respirator	TC Lo	Lowest concentration that is toxic to a given species in a given time
HMIS-J	Splash goggles, gloves, chemical apron, dust and vapor respirator	TD Lo	Lowest dose that is toxic to a given species
HMIS-K	Air line hood or mask, gloves, full chemical suit, boots	TLV	Threshold Limit Value (ACGIH)
HMIS-X	Ask Supervisor	TP	California Toxic Pollutant under the Clean Water Act
HS	California Hazardous Substance under the Clean Water Act	TSCA	Toxic Substances Control Act
IDHL	Immediately dangerous to health and life	TWA	Time Weighted Average (8 hours) - NOISH (10 hours)
IG/IH	(IG = Ingested) / (IH = Inhaled - Vapors / Mists / Gas)	UEL	Upper Explosive Limit

### **Instant Power Corporation**

and nCites LLC have compiled the information herein from sources believed to be reliable and up-to-date, and is accurate to the best of our knowledge. However, we cannot give any guarantees regarding information from other sources or the completeness and expressly do not make warranties, nor assume any liability for its use. The information contained herein is provided for reference purposes only and is intended only for persons having relevant technical skills. Because conditions and manner of use are outside of our control, the user is responsible for determining the conditions of safe use of the product. Buyers and users assume all risk, responsibility and liability whatsoever for any and all injuries, losses, or damages to persons or property arising from the use of this product or information.